

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	("6493809" "20020059500" "5634110").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:16
L2	0	1 and (invalidat\$3 with (includ\$3 compris\$3) with (bit bits) same (node cpu processor) with (cach\$3 near5 (data line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:19
L3	26	(send\$3 sent issu\$3 broadcast\$3) near5 invalidat\$4 with (node cpu processor) same (bit byte) with identif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:19
L4	8	L3 and (invalidat\$3 with (includ\$3 compris\$3) with (bit bits) same (node cpu processor) with (cach\$3 near5 (data line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:26
L5	35	(send\$3 sent issu\$3 broadcast\$3) with invalidat\$4 with (node cpu processor) same (bit byte) with identif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:27
L6	8	L5 and (invalidat\$3 with (includ\$3 compris\$3) with (bit bits) same (node cpu processor) with (cach\$3 near5 (data line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:27
L7	0	6 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:26
L8	248	(send\$3 sent issu\$3 broadcast\$3) with invalidat\$4 with (node cpu processor) same (bit byte)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:50

EAST Search History

L9	17	L8 same (invalidat\$3 with (includ\$3 compris\$3) with (bit bits) same (node cpu processor) with (cach\$3 near5 (data line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:30
L10	9	9 not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:27
L11	19	L8 and (invalidat\$3 with (includ\$3 compris\$3) with (bit bits) same (node cpu processor) with (cach\$3 near5 (data line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:48
L12	2	11 not 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:31
L13	20	((invalidat\$3 near5 request) with (includ\$3 compris\$3 hav\$3 has contain\$4) with (bit bits entry entries) same (node cpu processor) with (cach\$3 near5 (data line)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:50
L14	11	13 and (send\$3 sent issu\$3 broadcast\$3) with invalidat\$4 with (node cpu processor) same (bit byte)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:51
L15	2	14 not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:51
S1	53	(group near3 (invalidat\$4)) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 20:43

EAST Search History

S22	6	S12 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:34
S24	287	compaq and (cache near1 coherency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:31
S25	46	(cluster\$3 near3 (invalidat\$4)) same (cache "L1" "L2")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:32
S26	1647	(cache "L1" "L2") same (owner\$5 assign\$5 presence) near5 (node group cluster)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:32
S27	144	S26 same ((daisy near3 chain) chain\$3 link\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:32
S28	18	S27 and ((CPU PID (processor near2 ID)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:32
S29	6	S28 and invalidat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:33
S30	223	S26 and ((coheren\$3 near3 cache) same directory same (lock\$3 exclusiv\$4 own\$3 owner\$5 (access\$5 near3 restrict\$3) semaphore mutex))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:33

EAST Search History

S31	4338	711/119,141,144,145,147,148.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:33
S32	19	S31 and (protocol adj engine) same (directory same vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:33
S33	7	S32 and ((coheren\$3 near3 cache) same directory same (lock\$3 exclusiv\$4 own\$3 owner\$5 (access\$5 near3 restrict\$3) semaphore mutex))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:33
S34	7	S33 and ((cache "L1" "L2") same (owner\$5 assign\$5 presence) near5 (node group cluster))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:33
S35	239	(predefin\$3 predetermin\$5 pre-defin\$3 pre-determin\$5) near5 (node processor cpu) same (bit with (ID identif\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:38
S36	4	(predefin\$3 predetermin\$5 pre-defin\$3 pre-determin\$5) near5 (node processor cpu) same (bit with (ID identif\$5) with (cach\$3 near5 line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:42
S37	5	(predefin\$3 predetermin\$5 pre-defin\$3 pre-determin\$5) with (node processor cpu) same (bit with (ID identif\$5) with (cach\$3 near5 line))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 15:42
S38	1	S37 not S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 16:44

EAST Search History

S39	26	(send\$3 sent issu\$3 broadcast\$3) near5 invalidat\$4 with (node cpu processor) same (bit byte) with identif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/30 10:25
S40	2	"6697919".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 20:43